

1. AS A CONDITION FOR USE OF THIS WORK, THE USER AGREES TO INDEMNIFY THE IDEA

DIRECTORS, TRUSTEES, & CONTRACTORS AGAINST ALL CAUSES FOR ACTION RELATED

3. AS A CONDITION OF USE OF THIS WORK, THE USER SHALL CONSULT WITH A QUALIFIED PROFESSIONAL LICENSED IN THE JURISDICTION IN WHICH THE RESIDENCE WILL BE

ENGINEERING SYSTEMS; 4) FIRE PROTECTION DRAWINGS & SPECIFICATIONS; 5) SEISMIC & STORM PROTECTIONS; 6) PROPER PLACEMENT OF AIR & WATER VAPOR BARRIERS BASED ON REGIONAL CLIMATE; & 7) ALL OTHER FEATURES, SYSTEMS, & ELEMENTS TO

4. THIS WORK IS NOT SUITABLE FOR CONSTRUCTION IN ITS CURRENT FORM. A SET OF CONSTRUCTION DOCUMENTS MUST BE PREPARED BY AN ARCHITECT REGISTERED IN THE JURISDICTION IN WHICH THE RESIDENCE WILL BE CONSTRUCTED. THE ARCHITECT

5. REFER TO INCLUDED STANDARD DETAIL SHEETS FOR RECOMMENDATIONS RELATED TO MINIMUM, MAXIMUM, & OPTIMAL CONDITIONS TO BEST ENSURE ACCESSIBILITY FOR

SHALL ENSURE COMPLIANCE WITH ALL APPLICABLE BUILDING CODES, RULES, & REGULATIONS ISSUED BY ENTITIES HAVING JURISDICTION. IN THE CASE OF A CONFLICT

BETWEEN APPLICABLE REQUIREMENTS, THE MOST STRINGENT SHALL APPLY.

2. THE AFOREMENTIONED PARTIES MAKE NO CLAIM, GUARANTEE, OR WARRANTY OF COMPLIANCE WITH ANY PARTICULAR FEDERAL, STATE, OR LOCAL LAW, REGULATION,

CONSTRUCTED, TO ENSURE A PROPER STANDARD OF CARE & COMPLIANCE WITH APPLICABLE BUILDING CODES, RULES, & REGULATIONS PERTAINING TO 1) INTEGRATION OF PROPERLY SIZED & LOADED STRUCTURAL SYSTEMS; 2) FOUNDATION SYSTEMS AS

NECESSARY DUE TO REGIONAL FROST DEPTH & SOIL BEARING PRESSURE REQUIREMENTS; 3) CIVIL, MECHANICAL, ELECTRICAL, PLUMBING, & ALL OTHER

CENTER, STATE OF NEW YORK, STATE UNIVERSITY OF NEW YORK, UNIVERSITY AT BUFFALO, THE RESEARCH FOUNDATION FOR THE STATE UNIVERSITY OF NEW YORK, INC., & UB FOUNDATION ACTIVITIES, INC. & THEIR RESPECTIVE EMPLOYEES, AGENTS,

TO OR RESULTING FROM THIS WORK.

BE INSTALLED OR CONSTRUCTED.

PEOPLE WITH DISABILITIES.

2 SECOND FLOOR PLAN 1/4" = 1'-0"

University at Buffalo

Center for Inclusive Design and Environmental Access School of Architecture and Planning

> 309 Hayes Hall Buffalo, NY 14214-8030 TEL: (716) 829-5902

NOT FOR CONSTRUCTION

NOTES

1. EXTERIOR WALL STUDS ARE ASSUMED 2" X 8" (NOM.). VERIFY IF SUFFICIENT GIVEN REGIONAL ENERGY REQUIREMENTS. 2. INTERIOR WALL STUDS ARE ASSUMED 2" X 4"

3. WALLS ARE ASSUMED 92-5/8" PRE-CUT STUDS W/ ONE BOTTOM PLATE & TWO TOP PLATES. 4. FLOOR JOISTS ARE ASSUMED 2" X 10" (NOM.). VERIFY IF SUFFICIENT BASED ON LOCAL CODE &

WOOD SPECIES/GRADE. 5. SUBFLOORS ARE ASSUMED 5/8" PLYWOOD. 6. EXTERIOR WALL SHEATHING IS ASSUMED 5/8" PLYWOOD. SIDING IS NOT DEPICTED IN PLAN VIEW. 7. INTERIOR WALL FINISHES ARE ASSUMED 1/2" DRYWALL.

8. CEILING FINISH IS ASSUMED 5/8" DRYWALL. 9. INTERIOR FLOOR FINISHES ARE NOT DEPICTED IN THIS WORK. FLOOR FINISHES TO BE SMOOTH, STABLE, FIRM, & SLIP-RESISTANT. WHERE CARPET IS PROVIDED, CARPET PILE IS TO BE NO HIGHER THAN 1/2". TRANSITIONS BETWEEN FLOOR FINISHES SHOULD BE SMOOTH & FLUSH WHEREVER POSSIBLE. WHERE NOT POSSIBLE, THE MAXIMUM VERTICAL LEVEL CHANGE IS $\frac{1}{4}$ ". THE MAXIMUM BEVELED LEVEL CHANGE IS $\frac{1}{2}$ ", PROVIDED THE TOP 1/4" IS BEVELED AT A MAXIMUM

SLOPE OF 1:2. 10. ROOF SLOPES ARE EQUAL ON EITHER SIDE OF RIDGE UNLESS OTHERWISE NOTED. 11. COORDINATE DIMENSIONS AT CLOSETS W/ INTENDED ELEVATOR SPECIFICATIONS, WHERE

APPLICABLE. 12. HARDSCAPE SLOPES INDICATED FOR REFERENCE ONLY. ACTUAL SLOPES VARY BY SITE. SIDEWALK SLOPES ARE NOT TO EXCEED 5% TO REMAIN WHEELCHAIR ACCESSIBLE WITHOUT THE NEED FOR

HANDRAILS. 13. ALL DIMENSIONS SHOWN ARE MEASURED FROM

FACE-OF-STUD UNLESS OTHERWISE NOTED.

ABBREVIATIONS CLR. - CLEAR

F.F. - FINISH FLOOR T.O. - TOP OF

Urban Cottage 3.2

2 STORY: 4 BED, 3 BATH HOME

DATE


2020


Consumer Plans


A-101


Door Schedule					
Door	Panel				
Number	Width	Height	Thickness	Comments	
100	3' - 0"	7' - 8"	0' - 1 3/8"		
101	2' - 6"	7' - 0"	0' - 1 1/2"		
102	3' - 0"	7' - 0"	0' - 1 1/2"		
103	5' - 0"	7' - 0"	0' - 1 1/2"	Bifold	
104	3' - 0"	7' - 0"	0' - 1 1/2"		
105	4' - 0"	7' - 0"	0' - 1 1/2"	Sliding	
106	3' - 0"	7' - 8"	0' - 1 3/8"		
107	3' - 0"	7' - 0"	0' - 1 1/2"		
108	1' - 6"	7' - 0"	0' - 1 1/2"		
109	3' - 0"	7' - 0"	0' - 1 1/2"		
110	8' - 0"	7' - 0"	0' - 1 1/2"	Sliding	
111	3' - 0"	7' - 0"	0' - 1 1/2"		
112	3' - 0"	7' - 0"	0' - 1 1/2"	Pocket	
113	1' - 6"	7' - 0"	0' - 1 1/2"		
114	3' - 0"	7' - 0"	0' - 1 1/2"	Pocket	
115	3' - 0"	7' - 0"	0' - 1 1/2"		
116	5' - 0"	7' - 0"	0' - 1 1/2"	Sliding	


Window Schedule				
Window Type	Width	Height	Sill Height	
		,		
004	01 611	2! 40"	21 0"	
201	2' - 6"	3' - 10"	3' - 8"	
201	5' - 0"	4' - 0"	2' - 0"	











4 WEST ELEVATION 1/8" = 1'-0"

University at Buffalo Center for Inclusive Design and Environmental Access School of Architecture and Planning

> 309 Hayes Hall Buffalo, NY 14214-8030 TEL: (716) 829-5902

NOT FOR CONSTRUCTION

NOTES

-ALL DRAWINGS MUST BE REVIEWED AND APPROVED BY AN ARCHITECT REGISTERED IN THE STATE IN WHICH THE HOME WILL BE CONSTRUCTED. -COORDINATE DIMENSIONS AT CLOSETS WITH ELEVATOR SPECIFICATIONS, IFF APPLICABLE. -ROOF SLOPES SHALL BE EQUAL ON EITHER SIDE OF RIDGE UNLESS OTHERWISE NOTED. -SLOPES INDICATED FOR REFERENCE ONLY. ACTUAL

SLOPES VARY BY SITE. SIDEWALK SLOPES SHALL NOT EXCEED 5.0% RUNNING SLOPE, 2.0% CROSS SLOPE. -DIMENSIONS TO WALLS TAKEN FROM FACE OF STUD. -RAMP SLOPES SHALL NOT EXCEED 8.3% RUNNING SLOPE, 2.0% CROSS SLOPE.

ABBREVIATIONS

CLR. - CLEAR F.F. - FINISH FLOOR

T.O. - TOP OF

Urban Cottage 3.2

2 STORY: 4 BED, 3 BATH HOME

DATE 2020

Exterior Elevations

A-201